

#### SAFETY DATA SHEET

## **XPC Precise RED**

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name

XPC Precise RED

Product no.

XPC7040 - 7049

Unique formula identifier (UFI)

KNQV-T08M-3209-0GGG

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Mixture for use in self defence sprays

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

### Company and address

#### **XP Chemistries AB**

Storgatan 73F

852 33 Sundsvall

Sweden

+46 72 2500415

https://www.xpchemistries.com/

### Contact person

XP Chemistries AB

### E-mail

info@xpchemistries.com

### Revision

1/9/2023

**SDS Version** 

1.0

### 1.4. Emergency telephone number

Toxicological Information Service

Phone: +34 91 562 04 20

Information in Spanish (24h / 365 days)

See section 4 for information on first aid.

### SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP).

### 2.2. Label elements

Hazard pictogram(s)

Not applicable.

Signal word

Not applicable.

Hazard statement(s)

Not applicable.

Safety statement(s)

General

-



#### Prevention

Wear eye protection/protective gloves/protective clothing. (P280)

#### Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

#### Storage

-

### Disposal

-

#### Hazardous substances

None known.

#### Additional labelling

EUH210, Safety data sheet available on request.

UFI: KNQV-T08M-3209-0GGG

#### 2.3. Other hazards

### Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable. This product is a mixture.

#### 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Dipropylene glycol monomethyl ether, DPM	CAS No.: 34590-94-8 EC No.: 252-104-2 REACH: 01-2119450011-60-XXXX Index No.:	40-60%		[1]

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

[1] European occupational exposure limit.

### SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

### Eye contact

Upon irritation of the eye: Remove contact lenses and open eyes widely. Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Seek medical assistance and continue flushing during transport.

### Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

#### **Burns**



Not applicable.

### 4.2. Most important symptoms and effects, both acute and delayed

Neurotoxic effects: This product contains organic solvents, which may cause adverse effects to the nervous system. Symptoms of neurotoxicity include: loss of appetite, headache, dizziness, ringing in ears, tingling sensations of skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer and may result in an increased absorption potential of other hazardous substances at the area of exposure.

## 4.3. Indication of any immediate medical attention and special treatment needed

None known.

Information to medics

Bring this safety data sheet or the label from this product.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

### 5.2. Special hazards arising from the substance or mixture

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2)

### 5.3. Advice for firefighters

No specific requirements.

#### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements.

### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

### 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

### Recommended storage material

Always store in containers of the same material as the original container.

### Storage temperature

No specific requirements

### Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Dipropylene glycol monomethyl ether, DPM Long term exposure limit (8 hours) (ppm): 50

Long term exposure limit (8 hours) (mg/m³): 308

Annotations:

"dermal route" = in exposures to this substance, the contribution via the cutaneous route can be significant for the total body content if measures to prevent absorption are not taken.

VLI = Chemical agent that has an indicative limit value established by the EU.

Occupational exposure limits for chemical agents in Spain. 2022

#### **DNEL**

Dipropylene glycol monomethyl ether, DPM

Duration	Route of exposure	DNEL
Long term – Systemic effects - General population	Dermal	15 mg/kg
Long term – Systemic effects - Workers	Dermal	65 mg/kg
Long term – Systemic effects - General population	Inhalation	37 mg/m3
Long term – Systemic effects - Workers	Inhalation	310 mg/m3
Long term – Systemic effects - General population	Oral	1.67 mg/kg

#### **PNEC**

Dipropylene glycol monomethyl ether, DPM

Route of exposure	<b>Duration of Exposure</b>	PNEC
Freshwater		19 mg/l
Freshwater sediment		70.2 mg/kg
Intermittent release		190 mg/l
Marine water		1.9 mg/l
Marine water sediment		7.02 mg/kg
Sewage treatment plant		4 168 mg/l
Soil		2.74 mg/kg

### 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

### Exposure scenarios

There are no exposure scenarios implemented for this product.

### **Exposure limits**

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

### Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of gas or dust.

### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

### Measures to avoid environmental exposure

No special when used as intended.

## 8.3. Individual protection measures, such as personal protective equipment

#### Generally

Use only CE marked protective equipment.

#### Respiratory Equipment

No specific requirements

### Skin protection

Recommended	Type/Category	Standards	
Dedicated work clothing should be worn	-	-	R

XPC Precise RED Page 4



Hand protection				
Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	-	-	EN374-2	
Eye protection				
Туре	Standards			
Wear safety glasses with side shields.	EN166			

### SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Physical state

Testing not relevant or not possible due to the nature of the product. Colour

Testing not relevant or not possible due to the nature of the product. Odour / Odour threshold

Testing not relevant or not possible due to the nature of the product. pH

Testing not relevant or not possible due to the nature of the product. Density (g/cm³)

Testing not relevant or not possible due to the nature of the product. Kinematic viscosity

Testing not relevant or not possible due to the nature of the product.

Particle characteristics

Testing not relevant or not possible due to the nature of the product. Phase changes

### Melting point/Freezing point (°C)

Testing not relevant or not possible due to the nature of the product. Boiling point (°C)

Testing not relevant or not possible due to the nature of the product. Vapour pressure

Testing not relevant or not possible due to the nature of the product.
Relative vapour density

Testing not relevant or not possible due to the nature of the product. Decomposition temperature (°C)

Testing not relevant or not possible due to the nature of the product. Data on fire and explosion hazards

#### Flash point (°C)

Testing not relevant or not possible due to the nature of the product.

Auto-Ignition (°C)

Testing not relevant or not possible due to the nature of the product. Flammability (°C)

Testing not relevant or not possible due to the nature of the product. Lower and upper explosion limit (% v/v)

Testing not relevant or not possible due to the nature of the product. Solubility

### Solubility in water

Testing not relevant or not possible due to the nature of the product. n-octanol/water coefficient

Testing not relevant or not possible due to the nature of the product. Solubility in fat (g/L)

Testing not relevant or not possible due to the nature of the product.

XPC Precise RED Page 5



#### 9.2. Other information

### Other physical and chemical parameters

No data available.

### SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

#### 10.3. Possibility of hazardous reactions

None known.

#### 10.4. Conditions to avoid

None known.

### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Product/substance

Dipropylene glycol monomethyl ether, DPM

Test method

Species Rat Route of exposure Oral Test LD50

Result >4 000 mg/kg

Other information

Product/substance

Dipropylene glycol monomethyl ether, DPM

Test method

Species Rat
Route of exposure Inhalation
Test LC50
Result 3,35 mg/L

Other information

Product/substance

Dipropylene glycol monomethyl ether, DPM

Test method

Species
Route of exposure
Test
Result
Rabbit
Dermal
LD50
P510 mg/kg

Other information

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

### Serious eye damage/irritation

Based on available data, the classification criteria are not met.

### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Skin sensitisation

Based on available data, the classification criteria are not met.

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

### Carcinogenicity

Based on available data, the classification criteria are not met.

### Reproductive toxicity



Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

#### Long term effects

Neurotoxic effects: This product contains organic solvents, which may cause adverse effects to the nervous system. Symptoms of neurotoxicity include: loss of appetite, headache, dizziness, ringing in ears, tingling sensations of skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer and may result in an increased absorption potential of other hazardous substances at the area of exposure.

### Endocrine disrupting properties

None known.

#### Other information

None known.

### **SECTION 12: Ecological information**

12.1. Toxicity

Product/substance Dipropylene glycol monomethyl ether, DPM

Test method Species Fish

Compartment

 Duration
 96 hours

 Test
 LC50

 Result
 10 000 mg/L

Other information

Product/substance Dipropylene glycol monomethyl ether, DPM

Test method
Species Daphnia
Compartment
Duration 48 hours
Test EC50
Result 1 919 mg/L

Result Other information

Product/substance Dipropylene glycol monomethyl ether, DPM

Test method
Species
Bacteria

Compartment
Duration
No data available.
Test
EC10

Result 4 168 mg/L

Other information

Product/substance Dipropylene glycol monomethyl ether, DPM

Test method

Species Daphnia Compartment

Duration 22 d
Test NOEC
Result 0,5 mg/L

Other information

#### 12.2. Persistence and degradability

Product/substance Dipropylene glycol monomethyl ether, DPM

Yes

Biodegradable Test method

Result

XPC Precise RED Page 7



#### 12.3. Bioaccumulative potential

Product/substance Dipropylene glycol monomethyl ether, DPM

Test method

Potential bioaccumulation No

LogPow No data available. BCF No data available.

Other information

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

### 12.6. Endocrine disrupting properties

None known.

#### 12.7. Other adverse effects

None known.

### **SECTION 13: Disposal considerations**

### Waste treatment methods

Product is not covered by regulations on dangerous waste.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

### **EWC** code

Not applicable.

### Specific labelling

Not applicable.

### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

### **SECTION 14: Transport information**

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
ADR	-	-	-	-	-	-
IMDG	-	-		-	-	-
IATA	-	-	-	-	-	-

<sup>\*</sup> Packing group

### Additional information

Not dangerous goods according to ADR, IATA and IMDG.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Maritime transport in bulk according to IMO instruments

No data available.

### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Restrictions for application

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

### Demands for specific education

No specific requirements.

### SEVESO - Categories / dangerous substances

Not applicable.

<sup>\*\*</sup> Environmental hazards



#### Additional information

Not applicable.

#### Sources

Royal Decree 39/1997 on Safety and Health of Pregnant Workers, modified with Royal Decree 298/2009. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

### 15.2. Chemical safety assessment

No

### SECTION 16: Other information

#### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

### Additional information

Not applicable.

### The safety data sheet is validated by


The safety data sheet has not been validated

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety





data sheet cannot be used as a product specification. Country-language: ES-en

