

SAFETY DATA SHEET

XPC Precise Cool

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Trade name **XPC Precise Cool** Product no. XPC7020 - 7029 Unique formula identifier (UFI) EX5Q-H0TN-H20H-1R1F 1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture Mixture for use in self defence sprays Uses advised against None known. 1.3. Details of the supplier of the safety data sheet Company and address **XP** Chemistries AB Storgatan 73F 852 33 Sundsvall Sweden +46 72 2500415 https://www.xpchemistries.com/ Contact person **XP** Chemistries AB E-mail info@xpchemistries.com Revision 1/9/2023 SDS Version 1.0 1.4. Emergency telephone number Toxicological Information Service Phone: +34 91 562 04 20 Information in Spanish (24h / 365 days) See section 4 for information on first aid. SECTION 2: Hazards identification 2.1. Classification of the substance or mixture Eye Irrit. 2; H319, Causes serious eye irritation. 2.2. Label elements Hazard pictogram(s)

Signal word Warning Hazard statement(s) Causes serious eye irritation. (H319) Safety statement(s)



General

If medical advice is needed, have product container or label at hand. (P101) Keep out of reach of children. (P102)

Prevention

Wash hands thoroughly after handling. (P264)

Wear eye protection/protective gloves/protective clothing. (P280)

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

If eye irritation persists: Get medical advice/attention. (P337+P313)

Storage

Disposal

Hazardous substances

L-menthol

Additional labelling

UFI: EX5Q-H0TN-H20H-1R1F

2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Dipropylene glycol monomethyl ether, DPM	CAS No.: 34590-94-8 EC No.: 252-104-2 REACH: 01-2119450011-60-XXXX Index No.:	40-60%		[1]
L-menthol CAS No.: 2216-51-5 EC No.: 218-690-9 REACH: Index No.:		15-25%	Skin Irrit. 2, H315 (SCL: 50.00 %) Eye Irrit. 2, H319	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.



Eye contact

Upon irritation of the eye: Remove contact lenses. Flush eyes immediately with plenty of water or isotonic water (20-30 °C) for at least 5 minutes and continue until irritation stops. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure. Neurotoxic effects: This product contains organic solvents, which may cause adverse effects to the nervous system. Symptoms of neurotoxicity include: loss of appetite, headache, dizziness, ringing in ears, tingling sensations of skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer and may result in an increased absorption potential of other hazardous substances at the area of exposure.

4.3. Indication of any immediate medical attention and special treatment needed

If eye irritation persists: Get medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2)

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No specific requirements.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

6.3. Methods and material for containment and cleaning up Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material

Always store in containers of the same material as the original container.



Storage temperature

No specific requirements

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Dipropylene glycol monomethyl ether, DPM Long term exposure limit (8 hours) (ppm): 50 Long term exposure limit (8 hours) (mg/m³): 308 Annotations:

"dermal route" = in exposures to this substance, the contribution via the cutaneous route can be significant for the total body content if measures to prevent absorption are not taken.

VLI = Chemical agent that has an indicative limit value established by the EU.

Occupational exposure limits for chemical agents in Spain. 2022

DNEL

Dipropylene glycol monomethyl ether, DPM

dana alveal mana

Duration	Route of exposure	DNEL
Long term – Systemic effects - General population	Dermal	15 mg/kg
Long term – Systemic effects - Workers	Dermal	65 mg/kg
Long term – Systemic effects - General population	Inhalation	37 mg/m3
Long term – Systemic effects - Workers	Inhalation	310 mg/m3
Long term – Systemic effects - General population	Oral	1.67 mg/kg

PNEC

Route of exposure	Duration of Exposure	PNEC
Freshwater		19 mg/l
Freshwater sediment		70.2 mg/kg
Intermittent release		190 mg/l
Marine water		1.9 mg/l
Marine water sediment		7.02 mg/kg
Sewage treatment plant		4 168 mg/l
Soil		2.74 mg/kg

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis. General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of gas or dust.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

No special when used as intended.



	measures, such as perso	nal protective equipment		
Generally	protective equipment.			
Respiratory Equipment				
No specific requirer				
Skin protection				
Recommended	Type/Category	Standards		
Dedicated work	-	-		R
clothing should be				QP
worn				Л
Hand protection				
Material	Glove thickness (mm)	Breakthrough time	Standards	
material		(min.)		
Nitrile	-	-	EN374-2	Ŵ
				117
Eye protection				
Туре	Standards			
Wear safety glasses	EN166			
with side shields.	LINIOO			
Odour / Odour thresho Testing not relevant	t or not possible due to th old t or not possible due to th			
pH Testing not relevant	t or not possible due to th	e nature of the product		
Density (g/cm ³)		ie intere of the product.		
	t or n <mark>ot possible due to t</mark> h	e nature of the product.		
Kinematic viscosity				
	t or not possible due to th	ne nature of the product.		
Particle characteristics Testing not relevant	t or not possible due to th	e nature of the product		
ase changes	t of hot possible due to th	e nature of the product.		
Melting point/Freezing				
	point (°C)			
Boiling point (°C)	t or not possible due to th	ne nature of the product.		
Testing not relevant	t or not possible due to th			
5				
Vapour pressure	t or not possible due to th t or not possible due to th	ne nature of the product.		
Vapour pressure Testing not relevant	t or not possible due to th t or not possible due to th t or not possible due to th	ne nature of the product.		
Vapour pressure Testing not relevant Relative vapour density	t or not possible due to th t or not possible due to th t or not possible due to th	ne nature of the product. ne nature of the product.		
Vapour pressure Testing not relevant Relative vapour density Testing not relevant Decomposition temper	t or not possible due to th t or not possible due to th t or not possible due to th y t or not possible due to th rature (°C)	ne nature of the product. ne nature of the product. ne nature of the product.		
Vapour pressure Testing not relevant Relative vapour density Testing not relevant Decomposition temper Testing not relevant	t or not possible due to th t or not possible due to th t or not possible due to th t or not possible due to th rature (°C) t or not possible due to th	ne nature of the product. ne nature of the product. ne nature of the product.		
Vapour pressure Testing not relevant Relative vapour density Testing not relevant Decomposition temper Testing not relevant ta on fire and explosior	t or not possible due to th t or not possible due to th t or not possible due to th t or not possible due to th rature (°C) t or not possible due to th	ne nature of the product. ne nature of the product. ne nature of the product.		
Vapour pressure Testing not relevant Relative vapour density Testing not relevant Decomposition temper Testing not relevant ta on fire and explosion Flash point (°C)	t or not possible due to th t or not possible due to th t or not possible due to th y t or not possible due to th rature (°C) t or not possible due to th n hazards	ne nature of the product. ne nature of the product. ne nature of the product. ne nature of the product.		
Vapour pressure Testing not relevant Relative vapour density Testing not relevant Decomposition temper Testing not relevant ta on fire and explosion Flash point (°C)	t or not possible due to th t or not possible due to th t or not possible due to th t or not possible due to th rature (°C) t or not possible due to th	ne nature of the product. ne nature of the product. ne nature of the product. ne nature of the product.		



According to EC-Regulation 19	007/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878
Flammability (°C) Testing not relevan Lower and upper explo Testing not relevan Solubility Solubility in water Testing not relevan n-octanol/water coeffic Testing not relevan	t or not possible due to the nature of the product. t or not possible due to the nature of the product.
Solubility in fat (g/L) Testing not relevan 9.2. Other information Other physical and che No data available.	t or not possible due to the nature of the product. emical parameters
SECTION 10: Stability and	d reactivity
 10.3. Possibility of hazard None known. 10.4. Conditions to avoid None known. 10.5. Incompatible mater Strong acids, strong ba 10.6. Hazardous decomp 	ials ases, strong oxidizing agents, and strong reducing agents. osition products raded when used as specified in section 1.
11.1. Information on haza	ard classes as defined in Regulation (EC) No 1272/2008
Acute toxicity Product/substance Test method Species Route of exposure Test Result Other information	Dipropylene glycol monomethyl ether, DPM Rat Oral LD50 >4 000 mg/kg
Product/substance Test method Species Route of exposure Test Result Other information	Dipropylene glycol monomethyl ether, DPM Rat Inhalation LC50 3,35 mg/L
Product/substance Test method Species Route of exposure Test Result Other information	Dipropylene glycol monomethyl ether, DPM Rabbit Dermal LD50 9510 mg/kg



Test method Species Route of exposure Test Result Other information	Rat Oral LD50 3300 mg/kg
Product/substance Test method	L-menthol
Species Route of exposure Test Result	Rabbit Dermal LD50 >5000 mg/kg
Other information	< sood hig/kg
Serious eye damage/irrit Causes serious eye irr Respiratory sensitisation Based on available dat Skin sensitisation Based on available dat Germ cell mutagenicity Based on available dat Carcinogenicity Based on available dat Reproductive toxicity Based on available dat STOT-single exposure Based on available dat STOT-repeated exposure Based on available dat Aspiration hazard Based on available dat 11.2. Information on oth Long term effects Irritation effects: This Exposure may result in Neurotoxic effects: Th Symptoms of neuroto sensitivity to the cold, the breaking down of	itation. ta, the classification criteria are not met. ta, the area of exposure classification criteria are not met. ta the area of exposure. the area of exposure. the area of exposure. ta the area of exposure.
None known.	
SECTION 12: Ecological i	nformation

12.1. Toxicity

Product/substance	Dipropylene glycol monomethyl ether, DPM
Test method	
Species	Fish
Compartment	
Duration	96 hours
Test	LC50
Result	10 000 mg/L
Other information	-



Product/substance	Dipropylene glycol monomethyl ether, DPM
Test method Species	Daphnia
Compartment	
Duration Test	48 hours EC50
Result	1 919 mg/L
Other information	
Due du et (eu hetere es	Disconsidence shugel reconcertable they DDM
Product/substance Test method	Dipropylene glycol monomethyl ether, DPM
Species	Bacteria
Compartment Duration	No data available.
Test	EC10
Result	4 168 mg/L
Other information	
Product/substance	Dipropylene glycol monomethyl ether, DPM
Test method Species	Daphnia
Compartment	Dapinina
Duration	22 d
Test Result	NOEC 0,5 mg/L
Other information	o,s mg. L
Product/substance	L-menthol
Test method	
Species Compartment	Fish
Duration	96 hours
Test	LC50
Result Other information	18,9 mg/L
12.2. Persistence and degr	adability
Product/substance	Dipropylene glycol monomethyl ether, DPM
Biodegradable	Yes
Test method Result	
12.3. Bioaccumulative pote Product/substance	Di <mark>propylene glycol monom</mark> ethyl ether, DPM
Test method	
Potential bioaccumulation	No No data available.
LogPow BCF	No data available.
Other information	
12.4. Mobility in soil	
No data available.	
12.5. Results of PBT and vP	
	pes not contain any substances considered to meet the criteria classifying them as PBT and/or
vPvB. 12.6. Endocrine disrupting	properties
None known.	properties
12.7. Other adverse effects	
None known.	
SECTION 13: Disposal con	siderations

Waste treatment methods

Product is not covered by regulations on dangerous waste.



Dispose of contents/container to an approved waste disposal plant. Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

EWC code

Not applicable.

Specific labelling

Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
ATA	-	-	-	-	-	-
Addii Na 14.6. Na 14.7. Na SEC 15.1. Re Do SE Ad SC	Special preco be applicable. Maritime trad o data available TION 15: Reg Safety, healt estrictions for Pregnant w precautions emands for s No specific VESO - Categ Not applical ditional info Not applical ditional info Not applical sources Royal Decre Regulation of Regulation of Regulation of Registration Chemical sat	ation goods according to AE autions for user insport in bulk accordin ble. ulatory information th and environmental re- r application omen and women brea or design of the workp pecific education requirements. gories / dangerous subs ble. rmation ble. ee 39/1997 on Safety an (EC) No 1272/2008 of th n, labelling and packag	egulations/legisla	nts on specific for t t be exposed to ninate exposur ninate exposur nent and of the ond mixtures (C nent and of the	o this product. The ri re, must be consider odified with Royal De council of 16 Dece LP). council of 18 Dece	isk, and possible technical ed. ecree 298/2009.
SEC	TION 16: Oth	er information				
H H Abbr Al	315, Causes s 319, Causes s eviations and DN = Europea	an Provisions concernin				

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate



BCF = Bioconcentration Factor CAS = Chemical Abstracts Service CE = Conformité Européenne CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Additional information The classification of the mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP). The safety data sheet is validated by The safety data sheet has not been validated Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: ES-en